## **NSLS OHSAS Job Risk Assessment**

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

Name(s) of Risk Team Members: N. Gmür, P. Gross, Y. Koh, L. Miller, W. Morrin, C. Nielson, L. Rogers	Point Value → Parameter ↓	1	2	3	4	5		
Job Title: Walking  Job Number or Job Identifier: LS-JRA-0038	Frequency (B)	<u>&lt;</u> once/year	≤once/month	≤once/week	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	>once/shift		
Job Description: Walking within NSLS controlled buildings and outside grounds.	Severity (C)	First Aid Only	Medical Treatment	Lost Time	Partial Disability	Death or Permanent Disability		
Training and Procedure List (Optional): N/A  Approved by: W. R. Casey Rev. # 1  Date: 8/12/2005 Revision Log	Likelihood (D)	Extremely Unlikely <<1x/20yrs	Unlikely 1x/10-20yrs	Possible >1x/10-20yrs	Probable 1x/yr	Multiple >1x/yr		
Stressors (if applicable, please list all): Inadequate Lighwalking surface conditions; Adverse weather conditions packages/equipment.		Reason for Re	evision (if applical	Comments:				

		Before Controls							After Initial Controls						After Additional Controls						
Job Step / Task	Hazard	Stressors Y/N		rec	everity	Likelihood D	Risk* AxBxCxD	Initial Controls	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Control(s) Added to Reduce Risk	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction	
Walking in hallways, labs, offices, and other indoor level surfaces	Falls to same level from slips and trips	N	1	5	3	3	45	Adequate lighting, maintenance of walking surface; proper footwear, good housekeeping practices; Tier 1	1	5	2	2	20								

## **NSLS OHSAS Job Risk Assessment**

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

		Before Controls												After Initial Controls					After Additional Controls								
Job Step / Task	Hazard	Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Initial Controls	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Control(s) Added to Reduce Risk	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction							
Walking in hallways, labs, offices, and other indoor level surfaces	Falls to same level from slips and trips	Y	1	5	3	4	60	Inspections; antiskid/carpeted mats at entrances to buildings; signs/postings indicating wet areas during cleaning/ maintenance, barriers, clean up spills	1	5	2	3	30														
Using stairs- indoors and outdoors, and entrance stairs	Falls to lower level, trips in upward direction	N	1	5	3	3	45	Adequate lighting, maintenance of walking surfaces; proper footwear; good housekeeping practices; Tier 1 Inspections; signs/postings indicating	1	5	3	2	30														
		Y	1	5	3	4	60	wet areas during cleaning/maintenance; OSHA compliant stair design, anti-slip applications, snow removal, ice melt application, keeping at least one hand free, remove sunglasses	1	5	3	3	45														
Walking on sidewalks and other outdoor paved surfaces	Falls to same level from loss of balance due to uneven surfaces, slips on	N	1	4	3	3	36	Adequate lighting, maintenance of grounds; making paving surfaces smooth, proper footwear;	1	4	3	2	24														
paved surfaces	snow or ice, fall from curbs	Υ	1	4	3	4	48	good housekeeping practices; Tier 1 Inspections; non-slip surface coatings, snow removal, ice melt application.	1	4	3	3	36														

## **NSLS OHSAS Job Risk Assessment**

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

			Be	fore	Co	ntro	ls					nitia rols				After Additional Controls							
Job Step / Task	Hazard	Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Initial Controls	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Control(s) Added to Reduce Ris	A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction			
Walking on unpaved outdoor	Falls to same level from loss of balance	N	1	3	3	3	27	Sufficient lighting, grounds maintenance,	1	3	3	2	18										
surfaces due to uneven surfaces, hidden holes	Υ	1	3	3	4	36	proper footwear, alternate paths (paved), Tier 1	1	3	3	3	27											
Using elevators Falls to same leve from trips if door n	Falls to same level from trips if door not level, impact from	N	1	4	2	2	16	Maintenance of elevator, adequate lighting, proper footwear; good	1	4	2	1	8										
	closing gates	Y	1	4	2	3	24	housekeeping practices; Tier 1 Inspections; emergency phones in elevators	1	4	2	2	16										
Crossing streets	Getting struck by a motor vehicle	N	1	4	5	3	60	Use marked & posted cross walks if possible, never assume driver is	1	4	3	2	24										
		Y	1	4	5	4	80	following rules, wait to see what vehicle does, obey traffic signs, look both ways, walk against the traffic flow if walking on the shoulder of a street	1	4	3	3	36										
Further Description	on of Controls Added to	Red	luce	Ris	sk:																		
*Risk:	0 to 20 Negligible		1 to	_	ble			41 to 60 Moderate				80 stan	tial		81 or q Intoler	•							